

NO. 66198

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAR 22 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed MAR 22 2000

The applicant **Dan Steninger** hereby makes application for permission to change the **Point of Diversion and Place of Use of a portion** of water heretofore appropriated under **Application No. 41102**

1. The source of water is **Underground**.
2. The amount of water to be changed **2.0 cfs**
3. The water to be used for **Irrigation & Domestic**
4. The water heretofore permitted for **Irrigation & Domestic**
5. The water is to be diverted at the following point **SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 23, T.33N., R.57E., M.D.B.&M., at a point from which the Northwest corner of said Section 23 bears, N 16° 19' 35" W, 1384.39 feet.**
6. The existing permitted point of diversion is located **within NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 2, T.33N., R.57E., M.D.&B.M. at a point from which the Northwest corner of said Section 2 bears, N 21° 51' 27" W, 4108.27 feet.**
7. Proposed place of use **The W $\frac{1}{2}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 23, T.33N., R.57E., M.D.B.&M., 160 acres**
8. Existing place of use **E $\frac{1}{2}$ E $\frac{1}{2}$ Section 4, All of Section 3, All of Section 2, NE $\frac{1}{4}$ Section 10, T.33N., R.57E., and the S $\frac{1}{2}$ S $\frac{1}{2}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 35, T.34N., R.57E., M.D.B.&M., 160 acres**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **a drilled well, pump and pipelines**
12. Estimated cost of works **\$10,000**
13. Estimated time required to construct works **3 yrs.**
14. Estimated time required to complete the application of water to beneficial use **5 yrs.**
15. Remarks: **Please use the map that accompanied Application 41102 for the existing Place of Use and existing Point of Diversion.**

HIGH DESERT Engineering, Agent

By **s/ Robert E. Morley**
640 Idaho Street
Elko, NV 89801

Compared gkl/ bk d1/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 41102 is issued subject to the terms and conditions imposed in said Permit 41102 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

The issuance of this permit completely abrogates Permit 41102.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.0 cubic feet per second, and not to exceed a yearly duty of 3.0 acre-feet per acre of land irrigated from any and/or all sources, but not to exceed 480 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

February 12, 2003

Proof of completion of work shall be filed before:

March 12, 2003

Water must be placed to beneficial use on or before:

February 12, 2006

Proof of the application of water to beneficial use shall be filed on or before:

March 12, 2006

Map in support of proof of beneficial use shall be filed on or before:


March 12, 2006

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 12th day of, February A.D. 2001


State Engineer.

Completion of work filed MAR 10 2003

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____



11-11-11

11-11-11

11-11-11